

PROMAX

Osnovano / Established in 2006

***Za vašu potrebu postoji više rešenja,
naše je najbolje...***

***There is more than one option that can
meet your needs. We offer the best one...***

KATALOG PROIZVODA / PRODUCT CATALOGUE

**pvc / alu / alu-drvo / drvo, drvo-alu / stolarija | krovni prozori | sobna / ulazna
garažna vrata | stakleni balkoni i klizni stakleni sistemi | roletne | komarnici |
projektovanje i adaptacije | krediti za uštedu energije | prateći proizvodi |**

**pvc / alu / alu-timber / timber, timber-alu / doors and windows | roof windows |
interior / exterior / garage / doors | glass balcony doors - sliding glass systems |
project engineering and adaptation | energy saving loans | accessories**

REHAU® VELUX ALUMIL Roto HOPPE® Slide/

O nama

About us

PROMAX je porodična kompanija osnovana 2006.godine i sa uspehom posluje kako u Srbiji tako i u Evropi i Kanadi. Na početku naša kompanija se prvenstveno bavila proizvodnjom PVC i ALU stolarije, ali kako su rasli zahtevi kupaca, tako smo proširivali oblast delatnosti, kako bi svojim klijentima omogućili da što lakše i na jednom mestu dobiju sve što im je neophodno iz oblasti građevinskih radova po sistemu "ključ u ruke". To je rezultiralo time da smo zaokružili oblast građevinskih adaptacija, tako da sada naši kupci mogu na jednom mestu dobiti sve što im je potrebno, bilo da je zamena stolarije sa obradom špaletni i krečenjem, ili kompletna adaptacija stambenog ili poslovnog prostora, koja obuhvata rušenje, zidanje, zamenu vodo, elektro i grejnih instalacija, malterisanje, gipsarske i keramičarske radove, zamenu spoljne, unutrašnje i krovne stolarije, parketerske, limarske, molerske i fasaderske radove.

PROMAX is a family-run company established in 2006, successfully operating in Serbia, but also in Europe and Canada. In the very beginning, our company primarily dealt with manufacture of PVC and ALU doors and windows. As our customers' demands grew, we expanded our line of business to enable our clients to easily get all that they need in the field of construction works and turnkey projects in one place. The result was rounding up of the entire field of building adaptation, which allows our customers to get whatever they need in one place, including replacement of doors and windows with jamb work and paint job or complete adaptation of a residential or business facility that involves demolition, construction works, replacement of water, electrical and heating installations, mortar works, plaster and ceramic mould casting, replacement of exterior, interior and roof doors and windows, parquet flooring, tin works, paint job, and facade works.

PROMAX karakteriše najviši standard kvaliteta proizvoda i radova po pristupačnim cenama uz višegodišnju garanciju na kvalitet. Kvalitet naših proizvoda i usluga se najbolje ogleda u tome što preko 50% novih klijenata dobijamo preko preporuka zadovoljnih kupaca.

What characterises PROMAX is the highest quality standard regarding products and services offered at popular prices and accompanied by multiannual quality guarantee. The quality of our products and our services can be estimated by the fact that over 50% of our new clients come to us on the recommendation of our satisfied customers.



Ovo su vrednosti koje mi podržavamo i kojima težimo:

**KVALITET • EFIKASNOST • VREDNOST • TRAJNOST • POUZDANOST •
EKONOMIČNOST • TAČNOST • HARMONIJA • BALANS**



These are the values we support and aspire to:

**QUALITY • EFFICACY • VALUE • DURABILITY • RELIABILITY • COST-
EFFECTIVENESS • ACCURACY • HARMONY • BALANCE**



PVC stolarija

PVC doors and windows

PVC stolarija je trenutno najrasprostranjenija u svetu kada se govori o materijalu i izradi novih prozora. Kvalitet i način izrade prozorskog profila, pored stakla i okova, ima odlučujuću ulogu u ukupnom kvalitetu prozora. Što je bolji prozorski profil, to je prozor efikasniji u pogledu toplotne izolacije, zvučne izolacije, protivprovalne i protivpožarne zaštite.

Naša PVC stolarija je izrađena od najkvalitetnijih nemačkih REHAU profila serije ECOSOL (5 komora) i SYNEGO (6-7 komora), koji imaju izuzetne karakteristike i vrhunskog su kvaliteta, a posebno dolaze do izražaja kada je reč o energetskej efikasnosti (www.rehau.com).

Takođe u ponudi imamo i sve druge sisteme iz REHAU-ove game proizvoda kao što su GENE0 sa i bez termomodula itd.

PVC stolarija idealno dihtuje, smanjuje utrošak energije kod grejanja zimi i hlađenja tokom leta ($U_w \sim 1,1 \text{ W/m}^2\text{K}$), ima odličnu zvučnu izolaciju ($\sim 30 \text{ dB}$), čemu značajno doprinose ROTO NT okovi i nisko-emisiona stakla punjena Argonom koja kod nas dobijate u standardnoj proizvodnoj verziji.

When it comes to the type of material and manufacture of new windows, PVC doors and windows are currently the world's most widely spread type of doors and windows. Apart from the type of glass and hardware, what is crucial in the overall quality of windows is the quality and method of manufacture of window profiles. The better the window profile is, the more efficient is the window in terms of thermal insulation, sound insulation, burglar-proof and fireproof protection.

Our PVC doors and windows are manufactured using the highest quality German REHAU profiles, namely ECOSOL (5 chambers) and SYNEGO series (6-7 chambers) with exceptional properties and top quality, their energy efficiency being their most remarkable feature (www.rehau.com).

We also offer all other systems from REHAU range of products, such as GENE0 with and without thermal modules etc.

PVC doors and windows are ideally sealed, they reduce energy expenditure while heating during winter time and cooling during summer time ($U_w \sim 1,1 \text{ W/m}^2\text{K}$), they have excellent sound insulation ($\sim 30 \text{ dB}$) which is significantly improved by ROTO NT hardware and low-emission glass filled with argon, offered as a standard version in our company.

Standardna boja je bela, ali može biti i drvodekor (imitacija drveta) u više varijeteta po ton karti. Takođe postoji varijanta da se PVC prozori spolja oblože aluminijumskim opšivkama koje se mogu bojiti po izboru investitora.

Naša PVC stolarija obezbeđuje najbolje termičke karakteristike, uštedu energije i trajnost što potvrđuju brojni završeni objekti u Srbiji, širom Evrope i Kanadi.

Our standard colour is white, but we also offer woodgrain (imitation wood surface) in several shades according to the colour chart. It is also possible to cover the outside of PVC windows with aluminium flashings provided in any colour chosen by the investor.

Our PVC doors and windows provide best thermal properties, energy save, and durability, as clearly demonstrated by numerous completed projects in Serbia, across Europe, and in Canada.





ALUMINIJUMSKA stolarija

ALUMINIUM doors and windows

Kada je potrebna lagana konstrukcija, čvrstoća i postojanost i kada je reč o zastakljivanju većih površina, aluminijumska stolarija je pravo rešenje za to. Kod aluminijuma možete očekivati samo perfekciju i savršenstvo, visoke termoizolacione sposobnosti i visok stepen završne obrade. Različite boje, uz jasne i oštre linije, svakom objektu će dati potrebnu dozu luksuza sa naznakom na moderno. Naravno pri tome cena Vam ne sme igrati glavnu ulogu.

Alu stolariju izrađujemo pretežno od grčkih **ALUMIL** profila, ali i od profila dobavljača kao što su nemački SCHUCO, Elvial, Profilco, Aluminco, po želji kupca. Standardni okov je Stublina ili drugi po želji KUPCA, a staklo je nisko-emisiono punjeno Argonom.

Aluminijumski prozori su važan i kreativan deo fasade, svojom veličinom i oblikom određuju izgled objekta. Ubrajaju se u najzahtevnije građevinske elemente, daju ton arhitekturi i povećavaju materijalnu vrednost objekta.

If you need light construction, firmness, and durability, and if large areas should be closed in glass, you may find aluminium doors and windows to be the right solution for you. What you can expect with aluminium is nothing but perfection and immaculateness, high level of thermal insulation capacity and finishing process. A variety of colours, accompanied by clear and sharp lines, will provide any building with a necessary amount of luxury, stressing the modern. Here, of course, price should not play the principal role.

We mainly manufacture our Alu doors and windows using Greek **ALUMIL** profiles, but we also use profiles supplied by German SCHUCO, Elvial, Profilco, Aluminco, to meet the customer's desires. The standard hardware is Stublina, or anything else that our CUSTOMERS desire, and low-emission glass is filled with argon.

Aluminium windows are important and creative element of a facade, and their size and shape define appearance of each building. They are seen as one of the most demanding construction elements, they give tone to architecture and add to the value of tangible property.

Čvrstoća aluminijuma i njegova postojanost osiguravaju kvalitet prozora koji ne zahteva posebna održavanja, kao takvi, aluminijumski prozori su našli primenu u gotovo svim prostorima i objektima.

Kvalitetan aluminijumski prozor pouzdano štiti od buke, hladnoće i topline, a prekinuti termo most koji sa termoizolacionim staklom stvara prozor visokokvalitetnih izolacionih performansi. Ukoliko želite prozore koje je moguće dobiti u gotovo bilo kojim dimenzijama, modernih, ravnih i glatkih linija, u boji po izboru, tada je aluminijumski prozor pravo rešenje za Vas.

The firmness of aluminium and its durability ensure a high-quality window, which requires no particular maintenance. As such, aluminium windows have found their practical application in almost all spaces and buildings.

A high-quality aluminium window is reliable in protection against noise, cold and heat, while interrupted thermal bridge along with insulated glazing creates a window displaying high-quality insulation performance. If you want windows that could be obtained in almost any size, with modern, even, smooth lines, in any colour you desire, aluminium windows are perfect solution for you.



Aluminijumska stolarija može biti od belih ili braon profila u standardnoj varijanti, plastificirana u boji po želji kupca (po RAL karti), SA DRVODEKOR FOLIJOM ili od eloksiranih profila sa prekinutim termo mostom ili tzv. "hladnih profila". Aluminijumsku stolariju kao i PVC stolariju karakteriše izuzetno dug vek trajanja kao i eksplatacioni vek.

The standard version of aluminium doors and windows is manufactured using either white or brown profiles, but they can also be plasticised in any colour as desired by the customer (according to RAL colour chart), WITH WOODGRAIN FOIL or anodized profiles with interrupted thermal bridge or, the so-called "cold profiles". Just like PVC doors and windows, aluminium doors and windows are characterised by exceptionally long life expectancy and period of exploitation.





ALUMINIJUM-DRVO stolarija

ALUMINIUM-TIMBER doors and windows

Aluminijum - drvo stolarija predstavlja našu ekskluzivnu ponudu u okviru sistema sa termo prekidom, naglašene toplotne i zvučne izolacije, kao i visokih bezbednosnih standarda.

Sistem Alumil M23000 Forestal je rezultat Alumil-ove uloge lidera u projektovanju i predstavlja spoj vrhunskog kvaliteta aluminijuma, najpodesnijeg materijala za spoljašnju upotrebu, otpornog na sve vremenske uticaje, sa nespornom stilsko-estetskom ulogom drveta kao materijala enterijera.

Osnovni konstruktivni materijal prozora je aluminijumski profil sa termoprekidom, koji je sa unutrašnje strane obložen drvenim profilima. Aluminijum spolja štiti drvo od atmosferskih uticaja tako da drvo ostaje nepromenjenog izgleda i posle 20-ak godina eksploatacije. Sam spoj aluminijuma i drveta ostvaren je posebnim kopčama koje ne prenose naprezanja do kojih dolazi usled širenja i skupljanja materijala, te dozvoljavaju cirkulaciju vazduha sprečavajući koroziju usled kondenzacije.

With its prominent thermal and sound insulation, and its high security standards, Aluminium - Timber doors and windows make our exclusive offer within the thermal break systems.

Alumil M23000 Forestal system is the result of Alumil's leading role in project engineering and it is a combination of top quality aluminium, the most suitable material for exterior use, which is resistant to all weather conditions, and wood with its undeniable stylistic and aesthetic role in the interior.

The basic construction material of this type of window is aluminium profile with thermal break, lined with wooden profiles from the interior side. The exterior aluminium protects the wood from weather conditions and thus keeps its unchanged appearance even after approximately 20 years of exploitation. Connection between aluminium and wood is achieved using special clasps which do not transfer the strain that occurs due to expansion and shrinkage of the material, thus allowing air circulation which prevents corrosion resulting from the process of condensation.

Alumil M23000 se smatra sistemom visokog bezbednosnog nivoa, primenom posebnog zabavljanja mahenizmom sa "pečurkama" i 13mm PVC žlebom. Kao rezultat postignuto je 30 min. protiv-provalne zaštite u klasi WK3 prema certifikatu IFT Rosenheim. Takodje, poliamid širine 24mm, primenjen u ovom sistemu podigao je toplotnu izolaciju, pa je $UF=2,1 \text{ W/m}^2\text{K}$.

Vrsta drveta i boja bajca može da se uskladije prema Vašem enterijeru (parketu, nameštaju i sl.). Na kraju, aluminijum se može bojiti plastifikacijom ili eloksažom. i jedan i drugi način, omogućavaju veliki izbor boja, a ujedno predstavljaju zaštitu aluminijuma od atmosferskih uticaja. Zaptivanje se obezbeđuje zaptivnim gumama različitih profila i u više zona. Stakla mogu biti u više varijanti od standardnih dvoslojnih, nisko-emisiono (low-E), peskirano, stop-sol, pancir, kaljeno itd.

Alumil M23000 is considered a top-level security system and this is achieved by using a special lock mechanism with "mushrooms" and a 13-mm PVC groove. This resulted in burglar resistance amounting to 30 min., which complies with WK3 class according to IFT Rosenheim Certificate. 24-mm wide polyamide, also used within this system, has increased thermal insulation, which is now $UF=2.1 \text{ W/m}^2\text{K}$.

The type of wood and the colour of stains is adaptable to your interior (parquet floor, furniture etc.). Finally, aluminium can be coloured either by the process of plasticizing or by anodizing. Both processes allow the use of a broad range of colours, which, at the same time, protect aluminium from weather conditions. Sealing is achieved by rubber sealing strips available in a variety of profiles and arranged in several zones. Glass can vary from standard double glazed, low-emission (low-E), frosted, Stopsol, bullet-proof, tempered etc.





DRVENA I DRVO-ALUMINIJUMSKA STOLARIJA

TIMBER AND TIMBER-ALUMINIUM DOORS AND WINDOWS

Drvena i Drvo-aluminijum stolarija predstavlja poseban spoj kvaliteta, ukusa i luksuza sa prirodnim materijalom - DRVETOM.

Najnovija tehnologija obezbeđuje visok kvalitet izrade stolarije, što se ostvaruje kontrolom u svakoj fazi proizvodnje. Završna obrada se radi u komori pod posebnim uslovima koje zahtevaju inostrani partneri i proizvođači površinskih premaza. U proizvodnji se koriste isključivo ekološki lakovi na vodenoj bazi prema najnovijim evropskim standardima. Stolarija se izrađuje od najkvalitetnijih laminiranih drvenih profila.

Timber and Timber - Aluminium doors and windows make a special combination of quality, taste and luxury on one and the natural material - WOOD on the other side.

The cutting-edge technology enables production of top quality doors and windows, which is accomplished by controlling each production phase. Finishing takes place in a chamber, under the special conditions demanded by our foreign partners and superficial coating manufacturers. The manufacturing process involves the use of ecological water based lacquers only in accordance with the latest European standards. Doors and windows are made using top quality laminated wooden profiles.



Drvena i Drvo- Aluminijumska stolarija je namenjena kupcima koji pridaju poseban zanačaj prirodnim materijalima i imaju mogućnosti da sebi priušte taj "luksuz". Ova stolarija se karakteriše visokim kvalitetom u vidu energijske efikasnosti i trajnosti, ali i pleni svojom toplinom sa strane estetike. Posebno je tražena kada su u pitanju objekti gde preovladavaju prirodni materijali kao što su drvo, kamen, gvožđe, opeka itd.

Drveni profili su čamovina, mahagoni ili harst, laminirani i u boji po izboru kupca. Okov je nemački ROTO NT, a staklo niskoemisiono punjeno Argonom u standardnoj varijanti. Kod ove vrste stolarije drvo je noseći profil. Kod sistema Drvo - Aluminijum spolja su aluminijumske opšivke koje mogu biti u boji po izboru investitora, eloksirani u različitim nijansama ili sa drvodekor filijama po ton karti. Ove opšivke imaju funkciju da dodatno štite drvene profile prozora, ali i daju mogućnost bojenja spoljašnjeg dela prozora u najzahtevnije boje.

Timber and Timber - Aluminium doors and windows are intended for the customers who believe that natural materials are particularly significant and who can afford such "luxury". This type of doors and windows is characterised by top quality energy efficiency and durability, and, from the aesthetic side, it captivates with its warmth. It is particularly demanded for the buildings with dominant natural materials such as wood, rock, iron, brick etc.

Wooden profiles include fir timber, mahogany or oak, laminated and provided in colour selected by the customer. The standard version involves German ROTO NT hardware combined with low-emission glass filled with argon. The basic profile used for this type of doors and windows is wood. On the outside, Wood - Aluminium systems are aluminium flashings which can be provided in any colour chosen by the investor, anodized in a variety of shades or with woodgrain foils according to the colour chart. The role of such flashings is to provide additional protection to wooden profiles used in production of windows, but they also offer a possibility to colour the windows' outside in the most demanding colours.





KROVNI PROZORI

ROOF WINDOWS

Krovne prozore nudimo u dve varijante. Drveni VELUX krovni prozori i PVC ROTO krovni prozori od REHAU pvc profila.

Velux krovni prozori su visoko kvalitetni krovni prozori i firma Velux ih proizvodi i isporučuje preko 60 godina. Sa karakteristikama proizvoda koji su najboljeg kvaliteta, uživate idealnu kombinaciju sa mnogo dnevne svetlosti, svežeg vazduha i idealni estetski efekat i tako ćete stvoriti savršen ambijent za vaš dom. Velux kompletna rešenja štede vaše vreme, a pritom ne morate brinuti o tome da li ste nešto zaboravili. Svako Velux kompletno rešenje sadrži sve proizvode koji su vam potrebni da biste maksimalno uživali u svom prostoru - krovni prozor, opšivku, termo i hidroizolacioni set, zaštitu od sunca i toplote.

Naš cilj je da Vam ponudimo prozore koji imaju izvanrednu energetska efikasnost. Verujemo da je ovo najbolje prikazano energetskim balansom prozora. Energetski balans je razlika između solarnog dobitka i toplotnog gubitka.

We offer two types of roof windows: Wooden VELUX roof windows and PVC ROTO roof windows produced using REHAU pvc profiles.

Velux roof windows are high quality roof windows and Velux has been producing and supplying them for over 60 years. The product with such top quality features ideally combines plenty of daylight and fresh air with ideal aesthetic effect and thus creates a perfect ambient for your home. By choosing Velux complete solutions you save your time without ever having to worry if you have forgotten anything. Each Velux complete solution includes all the products you need to fully enjoy your own space - a roof window, a flashing, a thermal and hydro insulation set, protection against sunlight and heat.

Our goal is to offer windows with exceptional energy efficiency. We believe that this is illustrated best by energy balance of a window. Energy balance is the difference between solar gain and heat loss.

ROTO PVC krovni prozori

ROTO PVC roof windows

Izborom proizvoda marke Roto odlučili ste se za marku kvaliteta „made in Germany“. Naši krovni prozori, solarni sistemi i dodatna oprema proizvode se od prvoklasnih materijala i sirovina i poseduju uverljive karakteristike dugovečnosti, otpornosti, estetike i jednostavnosti održavanja.

ROTO Krovni prozor serije Designo je serijski opremljen WD paketom toplotne izolacije, što izolacione parametre (tehnička svojstva) celog prozora poboljšava za do 15%. Ovim rešenjem izbegava se stvaranje kondenzacije i stvaranje toplotnih mostova na mestima koja su tome najviše izložena. Siguran spoj uz dobro zaptivanje osim toga garantuje EPDM zaptivka na spoljnoj strani okvira i izolaciona folija za spoj sa parnom branom.

Krovni prozori sa WD paketom toplotne izolacije u okviru nemaju rešetku za provetravanje - funkcija mikroventilacije se reguliše postavljanjem ručke krila u za to previđeni položaj.

By choosing the Roto products, you choose a brand having “made in Germany” quality. Our roof windows, solar systems and accessories are made of top-class materials and raw materials displaying convincing properties such as longevity, resistance, appealing appearance, and simple maintenance.

ROTO roof windows that belong to Designo series are equipped with WD thermal insulation pack which improves insulation parameters (technical properties) of the entire window by up to 15%. Such solution prevents formation of condensation as well as formation of heat bridges at the most exposed positions. Firm connection and good sealing properties are also guaranteed by the use of EPDM seal on the exterior side of the frame as well as the insulation foil that creates vapour barrier.

Roof windows with WD thermal insulation packs in their frames do not have ventilation grilles as micro-ventilation is achieved by placing the handle in the specified position.





ROLETNE

BLINDS

Roletne koje mi imamo u ponudi su sa PVC ili Aluminijskom kutijom, aluminijskim zastorom i vodičima. Unutrašnje kutije roletni su uvek termo izolovane stiroporom ili poliuretanskom penom. Letvice aluminijskog zastora su ispunjene poliuretanskom penom što predstavlja odličnu kako zvučnu tako i toplotnu izolaciju. Roletne unapređuju i poboljšavaju izgled i funkciju vašeg doma. Idealan su proizvod koji brzo i lako u potpunosti može da zamrači vašu prostoriju. Zastor može biti PVC po posebnom zahtevu investitora. Roletne mogu biti sa unutrašnjom ili spoljašnjom kutijom. One su jedan od najstarijih, najpoznatijih i najrasprostranjenijih zasjenjivača prostora. Ugrađuju se na prozore i/ili vrata, sa spoljašnje strane samog otvora. Roletne su proizvod koji je dizajniran da pruža zaštitu od Sunca, vetra, kiše, snega, hladnoće i toplote. Pametnim korišćenjem roletni može se ostvariti značajna ušteda energije. Roletne mogu smanjiti gubitke energije i za 10%. Takođe pružaju zaštitu od provalnika, a cena im je pristupačna. Mogu biti na ručni ili motorni pogon. Boja roletni u standardnoj varijanti je bela i braon, ali se mogu plastificirati u bilo koju boju po RAL karti.

The blinds that we have in our portfolio are supplied either with PVC or with Aluminium boxes, aluminium screens and guides. Boxes are always supplied with thermal insulation achieved by using either Styrofoam or polyurethane foam. The slats of the aluminium screen are filled with polyurethane foam, which provides an excellent sound as well as thermal insulation. Blinds enhance and improve the appearance and functionality of your home. They are an ideal product that can in a very quick and easy manner completely darken your room. At a special request, screens can also be made of PVC. Blinds are supplied with either internal or external box. They are one of the oldest, best known, and most wide-spread room darkeners. They are installed onto windows and/or doors, on the external side of the opening. Blinds are designed to provide protection against the sunlight, wind, rain, snow, cold, and heat. Adequately used blinds can help achieve significant energy saves. Blinds can reduce energy loss by as much as 10%. They also provide protection against burglars at affordable prices. They can be moved up and down either manually or by an engine. The standard version blinds are coloured white or brown, but they can be plasticized into any other colour according to RAL colour chart.

KOMARNICI

MOSQUITO NETS

Jednostavna instalacija, elegancija, neupadljivost i funkcionalnost komarnika omogućava Vam odličnu zaštitu od svih vrsta insekata. Komarnici se lako ugrađuju i ne narušavaju estetiku prostora. Komarnici se mogu instalirati u kompletu sa prozorima ili odvojeno na već postojeću stolariju. Komarnici su kompletno od aluminijskih profila i mrežice koja je veoma otporna, kako na atmosferske uticaje tako i na mehanička oštećenja. U kombinaciji sa prozorom i roletnom, naša preporuka je da ukoliko je moguće, budu između prozora i roletne. U ponudi imamo više različitih vrsta komarnika kao što su:

ROLOKOMARNICI su najrasprostranjeniji model komarnika. Spuštaju se i podižu po vertikalnoj osi. Veoma su elegantni i praktični. Imaju svoj mehanizam za samopodizanje.

FIKSNI KOMARNICI se preporučuju za pozicije koje su nepristupačne, a takođe predstavljaju povoljniju varijantu zaštite od insekata.

PLISSE KOMARNICI su komarnici nove generacije, koji su veoma eleganti i funkcionalni. Pretežno se koriste za vrata zbog jednostavne upotrebe. Pokreću se po horizontalnoj osi.

KRILO KOMARNICI (za vrata) se preporučuju u varijanti kada su u pitanju prolazi, ulazna vrata itd, a predstavljaju zamenu za Plisse komarnike.


Simply installed, elegant, discrete, and functional mosquito nets provide excellent protection against all types of insects. Mosquito nets are easy to install and they do not impair appearance of the space. Mosquito nets can be installed together with windows or separately, onto the existing doors and windows. Mosquito nets are completely made of aluminium profiles and a net, which is highly resistant to both weather conditions and mechanical damages. When combined with a window and a blind, we recommend placing the mosquito net between the two, whenever this is possible. We offer several different types of mosquito nets, such as:

ROLLER MOSQUITO NETS are the most widely spread mosquito net model. They can be rolled up and down vertically, and are very elegant and practical. They have their own roll up mechanism.

FIXED MOSQUITO NETS are recommended for unapproachable points and are also the more cost-effective option in terms of protection against insects.

PLISSE MOSQUITO NETS are mosquito nets of a new generation, which are very elegant and functional. Due to their simple use, they are mostly installed onto doors. They move horizontally.

WING MOSQUITO NETS (for doors) are recommended for passages, entrance doors etc., and are replacement for Plisse mosquito nets.





SOBNA vrata

INTERIOR doors

Sobna vrata predstavljaju ukras enterijera svakog doma. Sobna vrata iz naše ponude su izradjena od medijapana, punog drveta (hrast, orah, čamovina) i/ili u kombinaciji sa aluminijumskim štokovima. Završna obrada može biti melaminska ili CPL 3D folija, furnirana, bajcovana i lakirana, farbana poliuretanom itd. Naša vrata su visokog kvaliteta i izuzetno dugog eksploatacionog veka. Model vrata, materijal od kog su izradjena i završna obrada može biti standardni ili po želji kupca. Vrata mogu biti jednokrillna, dvokrillna, harmonika, klizna, sa prorezom za staklo u krilu, nadsvetlom, pragom, a montiraju se metodom suve montaže, što znači nakon završenih parketarskih i molerskih radova. Model vrata takodje možete izabrati na osnovu kataloga vodećih italijanskih kompanija. Sobna vrata isporučujemo sa montažom, bravom, kvakom i pervajzima, bez skivenih troškova. Ovo su samo neki od modela sobnih vrata iz naše ponude....



Interior doors are ornaments that improve the interior of every home. The interior doors we offer are produced using medium density fiberboard, solid wood (oak, walnut, fir timber) and/or combined with aluminium door frames. Finish can involve melamine or CPL 3D foil, or veneering, staining, lacquering, or painting with polyurethane etc. We offer top quality doors with exceptionally long life time of exploitation. You can choose a standard door model, standard production materials and finish, or you can request a custom made product that meets your demands. Doors can be single-wing, double-wing, accordion or slide ones, having a glass opening inside the wing, transom window or threshold, and they are mounted by applying dry-mounting technique, that is, after completing parquet flooring and paint job. You can also choose door model using catalogues of the leading Italian companies. We deliver our interior doors with included mounting, lock, door handle, and door trims, with no hidden costs. These are just some of the interior door models that we offer...

ULAZNA vrata

EXTERIOR doors

Ulazna vrata su "ogledalo kuće", prva slika-utisak kuće ili stana na koju nadjete, zato odabir ulaznih vrata ne sme biti "na brzinu". Ulazna vrata mogu biti:


- Sigurnosna (metalna) sa folijom, ivericom ili furniranim medijapanom u različitim dezenima, sa jednom do tri brave i u više tačaka bravljenja...
- Aluminijumska sa ili bez termoprekida, sa ravnim ili ukrasnim panelom, u kombinaciji sa ili bez stakla, jednokrillna ili višekrillna, sa svetlarnicama, različitim bravama, rukohvatima ...
- PVC ulazna vrata mogu biti sa ravnim ili ukrasnim panelom, u kombinaciji sa ili bez stakla, jednokrillna ili višekrillna, sa svetlarnicama, različitim bravama, rukohvatima ...

Sigurnosna (metalna) ulazna vrata su predviđena isključivo za stanove, jer nemaju termoprekid. Aluminijumska i PVC ulazna vrata mogu biti za kuće i za stanove, u bilo kojoj boji po RAL karti (ALU) ili u nekoliko varijanti imitacije drveta. Postoji opcija kratke obične (ili interfonске) ili produžene trozlatvorne ili petozlatvorne brave. Vrata mogu biti jednokrillna, dvokrillna, trokrillna sa različitim opcijama nadsvetla i fiksnih polja. Mogu biti sa kvakama ili rukohvatima različitih oblika i dužina, sa mogućnošću ugradnje automata za samozatvaranje. Razlike između ALU i PVC vrata su u termo karakteristikama, vrsti materijala, boji, ceni i mogućnosti velikih dimenzija kod vrata od aluminijumskih profila.


Exterior doors reflect the house, giving you the first impression of the house or flat. Therefore, exterior doors must not be chosen in a hurry. Exterior doors can be:

- Security (metal) doors either with foil, chipboard or veneered medium density fibreboard, supplied in a variety of designs, with either one or up to three locks and with multi-point locking systems etc.
- Aluminium doors with or without thermal break, with even or decorative panels, with or without glass, single- or multi-wing doors, with fanlights, different locks, grips etc.
- PVC exterior doors can have even or decorative panels, can be with or without glass, single- or multi-wing doors, with fanlights, different locks, grips etc.

Security (metal) exterior doors are intended for flats only as they do not have thermal break. Aluminium and PVC exterior doors are intended for both houses and flats, and can be supplied in any colour according to RAL colour chart (ALU) or in several imitation wood options. Locks can be either short regular (or intercom locks) or prolonged three-point or five-point locks. Doors are supplied as single-wing, double-wing or triple-wing ones, and with a variety of options in terms of transom windows and fixed fields. We supply them with door handles or grips of different size and length, and we offer installation of self-closing door mechanisms. ALU and PVC doors differ in their thermal features, type of material, colour, price, and potential for manufacturing large-size doors which is characteristic for aluminium profiles.



ALU ukrasni paneli / ALU decorative panels



PVC ukrasni paneli / PVC decorative panels





GARAŽNA I INDUSTRIJSKA VRATA (SEGMENTNA)

GARAGE AND INDUSTRIAL DOORS (SECTIONAL)

Garažna i industrijska segmentna vrata predstavljaju najveći otvor na fasadi objekta i nekada zauzimaju čak i trećinu fasade. Radi efikasnog iskorišćenja prostora, u većini slučajeva, garaža je usmerena ka ulici, tako da je značaj termoizolovanosti i izgleda garažnih vrata jasan.


Segmentna vrata se mogu proizvesti sa preko 40 tipova panela, različitih nijansi i modela, površina sa imitacijom drveta i drugih. Naša segmentna vrata podržavaju više tipova završnih obrada i čak ugradnju pešačkih vrata sa niskim pragom. Pouzdanost i trajnost PROMAX garažnih vrata su glavni elementi koji ulaganje u toplotni komfor i dobar dizajn čine efikasnim dugoročnim ulaganjem. Segmentna garažna vrata se otvaraju pod plafon, dok se segmentna industrijska vrata mogu otvarati pod plafon, povišeno, pod uglom i vertikalno, čime je omogućeno maksimalno iskorišćenje prostora. Na ovaj način ćete imati više mesta u garaži i ispred garaže. Izrađena prema nemačkim projektima sa strogim standardima kvaliteta, dizajnirana su da izdrže više od 25 000 operativnih ciklusa. Pokušajte da proračunate broj godina na osnovu ove vrednosti, 25000 CIKLUSA. Garantujemo 10 godina savršenog rada. Segmentna automatska garažna vrata su veoma praktična, daju vašem domu moderan izgled i povećavaju njegovu

Sectional garage and industrial doors are the largest opening on the facade of a building, which sometimes occupies as much as one third of the facade. Having in mind space utilization efficiency, in majority of cases garage is directed towards street, which clarifies significance of thermal insulation and appearance of garage doors.

Sectional doors can be manufactured using over 40 panel types of different shades and models, imitation wood surfaces etc. Our sectional doors support several types of finish, including installation of pedestrian doors with low thresholds. Reliability and durability of PROMAX garage doors are the main characteristics that turn investing in your thermal convenience and good design into an efficient long-term investment. Sectional garage doors get opened by transferring them overhead, whereas sectional industrial doors offer several options, including overhead opening, high lift, angle and full vertical opening, allowing maximum space utilization. This frees an extra space inside and in front of your garage. Manufactured according to German projects involving strict quality standards, these doors are designed for over 25000 operational cycles. Taking into consideration the above specified value, 25000 CYCLES, try to calculate the number of years of use. We guarantee

vrednost. Automatika na garažnim vratima je nemačkog proizvođača Sommer, dok je automatika za industrijska vrata nemačkog proizvođača GFA Elektromaten. Dodatno, pešačka vrata napravljena u skladu sa garažnim vratima daju jednoličan izgled fasadi. Komanda i kontrolni sistem vrata se mogu povezati na sistem objekta. Jednim daljinskim upravljačem se zajedno mogu kontrolisati garažna vrata i prilazna kapija. Paneli debljine 40mm i elastične zaptivke, otporne na klimatske promene, čine segmentna vrata efikasnom barijerom protiv vetra, kiše i snega. Bočne zaptivke su udvostručene radi bolje izolacije. Usled praktične primene u hladnim zimskim periodima, garažna i industrijska vrata su izrađena isključivo od panela koji će efikasno izolovati vašu garažu ili industrijski objekat.

10 years of perfect performance. Automatic sectional garage doors are very practical, give a modern appearance to your home and raise its value. Automatic parts used for garage doors are manufactured by the German company Sommer, whereas automatic parts used for industrial doors are manufactured by the German company GFA Elektromaten. Additionally, pedestrian doors made to match garage doors give uniform appearance to the facade. Command and control door system can be connected to the system of the entire building. A single remote controller can control both garage doors and entrance gate. 40 mm thick panels and elastic gaskets resistant to weather changes make sectional doors an effective barrier that protects against wind, rain, and snow. Lateral seals are doubled to improve insulation. To facilitate their everyday use in cold winter months, garage and industrial doors are made solely from the panels that provide effective insulation of your garage or industrial facility.





STAKLENI BALKONI (KLIZNI STAKLENI SISTEMI ZA TERASE)

GLASS BALCONY DOORS (SLIDING GLASS BALCONY SYSTEMS)

Sistem staklenih balkona je idealno rešenje za zastakljivanje stambenih i komercijalnih površina (balkona, terasa, lodja, zimskih bašti, kafea, restorana, kao i sistema za pregradne zidove poslovnih prostora), odlična je akustična izolacija i idealna zaštita od vremenskih neprilika. Eleganтни dizajn se diskretno uklapa uz svako okruženje i ne menja postojeću estetiku. Odsustvo vertikalnih profila omogućava lakoću rukovanja, apsolutnu transparentnost i kontinualnu ventilaciju. Sistem se sastoji od aluminijske šine-vodjice u gornjem i donjem horizontalnom delu, koje omogućava lako pokretanje i usmeravanje staklenih panela. Nosači staklenih panela su od aluminijuma, a mehanizmi od inoxa. Aluminijske šine su dostupne u širokom spektru boja. Staklo je jednostruko kaljeno 8-10mm. Ovaj sistem je domaće proizvodnje što ga čini jedinstvenim na našem tržištu i našim kupcima omogućava da u svakom momentu imaju obezbeđenu adekvatnu podršku i servis.

Glass balcony system is an ideal solution for closing both residential and commercial spaces (balconies, terraces, built-in balconies, winter patios, cafes, restaurants as well as large offices that need partitioning) in glass. It makes an excellent acoustic insulation and an ideal protection against weather conditions. Its elegant design fits discreetly into any surrounding, without changing appearance of the already existing elements. Absence of vertical profiles allows easy handling, absolute transparency and continuous ventilation. The system consists of aluminium rails – guides located in the upper and lower horizontal area, which allows moving and directing glass panels with ease. Glass panel supports are made of aluminium and their mechanism is made of inox. Aluminium rails are available in a wide range of colours. Single tempered glass is 8-10 mm thick. This system is made in Serbia, which makes it unique in our market and provides our customers with adequate support and service at any moment.



REFERENTNI OBJEKTI / REFERENCE BUILDING MODELS



PROJEKTOVANJE I ADAPTACIJE

PROJECT ENGINEERING AND ADAPTATION

Kako bi svojim klijentima omogućili da što lakše i na jednom mestu dobiju sve što im je neophodno iz oblasti građevinskih radova po sistemu “ključ u ruke”, zaokružili smo oblast građevinskih adaptacija, tako da sada naši kupci mogu dobiti sve što im je potrebno, bilo da je zamena stolarije sa obradom špaletni i krečenjem, ili kompletna adaptacija stambenog ili poslovnog prostora, koja obuhvata rušenje, zidanje, zamenu vodo, elektro i grejnih instalacija, malterisanje, gipsarske i keramičarske radove, zamenu spoljne, unutrašnje i krovne stolarije, parketerske(podopolagačke), limarske, molerske i fasaderske radove.

Sve gore navedeno je podpomognuto saradnjom sa eminentnim stručnjacima iz oblasti građevinarstva kao što su licencirane diplomirane arhitekte i diplomirani građevinski inženjeri, a za izvodjenje samih radova tu su majstori koji imaju višedecenijsko iskustvo za svaki deo potrebnih radova.

Za bilo koje pitanje - nedoumicu iz oblasti građevinarstva(projektovanje, rušenje, zidanje, adaptaciju) tu smo da Vas salušamo i zajedno sa Vama nadjemo optimalno rešenje za svaku situaciju.

To enable our clients to easily get all that they need in the field of construction works and turnkey projects in one place, we have rounded up the entire field of building adaptation, offering our customers all that they need, including replacement of doors and windows with jamb work and paint job or complete adaptation of a residential or business facility that involves demolition, construction works, replacement of water, electrical and heating installations, mortar works, plaster and ceramic mould casting, replacement of exterior, interior and roof doors and windows, parquet flooring, tin works, paint job, and facade works.

Everything specified above is offered in cooperation with professionals prominent in the field of construction engineering, such as licensed architects and construction engineers, whereas the very process of realization is trusted to skilled workers with decades of work experience necessary to perform each section of the required activities.

For any questions or doubts regarding construction engineering (project engineering, demolition, construction works, adaptation), we are here to hear you and together find the optimum solution for each specific situation.



KREDITI ZA ENERGETSKU EFIKASNOST

ENERGY EFFICIENCY LOANS



- Plaćanje stolarije se vrši gotovinski odnosno 50-70% avansno i ostatak 30-50% od posla plaća se po isporuci - ugradnji na dan montaže.
- Za sve klijente možemo obezbediti kupovinu proizvoda iz našeg asortimana preko banaka sa kojima saradjujemo putem veoma povoljnih standardnih kredita i kredita za energetske efikasnosti.

- Doors and windows are paid cash, i.e. 50-70% advance payment and the balance of 30-50% after delivery - installation, on the day of installation.
- For all our clients we have arranged to purchase our products through the banks we do business with, which offer very popular standard loans and energy efficiency loans.

GARANCIJA

/ GUARANTEE

Za sve naše proizvode dobijate višegodišnju garanciju i obezbedjen servis i nakon isteka garancije.

By purchasing any of our products, you get a multiannual guarantee and maintenance available even after your guarantee expires.





www.promax.rs